



kronotex usa
PROUDLY MADE IN THE USA

PRODUCT BROCHURE

Floors for Living

Beaufort



The very best in quality and performance



Sacramento Pine - 1496



Magona - 2770



Stable Oak - 2773



Walnut - 2778

in single-strip patterns



- 4.45" wide x 54.33" long
- 1/2" (12mm) thick
- 7 planks per carton
- 11.75 sq. ft. per carton
- 30-year warranty



Beaufort Traditions



The look of classic American hardwoods



Centennial Maple - 3392




Homestead Cherry - 3393



Bristol Cherry - 3394



Potomac Cherry - 3395




Colonial Harvest Oak - 3398



Brandywine Oak - 3399

in single-strip patterns




- 4.96" wide x 50.79" long
- 1/2" (12mm) thick
- 8 planks per carton
- 14 sq. ft. per carton
- 30-year warranty



Amazona



Refined, classy and stylish



Parisienn Oak - 2323



Oklahoma Oak - 2432



Brazilian Cherry - 2444



Cambridge Oak - 2461

in single-strip patterns




- 4.45" wide x 54.33" long
- 3/8" (10mm) thick
- 8 planks per carton
- 13.43 sq. ft. per carton
- 25-year warranty



Cherry Valley Wilmington



Vibrant and sophisticated



Savannah Cherry - 1363



Sinclair Oak - 2741



Fletcher Oak - 2752



Creekside Pecan - D406

in single and three-strip patterns



PLANK THICKNESS ▲

- 7.4" wide x 50.51" long
- 1/2" (12mm) thick
- 5 planks per carton
- 12.98 sq. ft. per carton
- 20-year warranty



Wilmington



Unique and fashionable



Dixon Cherry - 1365



Tristan Pine - 1495



Milo Cherry - 2355



Sumner Hickory - 2397



Wellington Maple - 2477



Crawford Pecan - D406




Jasper Oak - 2766



Tanner Oak - 2767

in single and two-strip patterns




PLANK THICKNESS ▲

- 7.60" wide x 54.33" long
- 5/16" (8mm) thick
- 8 planks per carton
- 22.94 sq. ft. per carton
- 20-year warranty



Aberdeen



Traditional and exotic



Montgomery Maple - 2352



Winfield Cherry - 2353





Sydney Acacia - 2394



Woodstock Oak - 2750

in two and three-strip patterns




PLANK THICKNESS ▲

- 7.60" wide x 50.79" long
- 5/16" (8mm) thick
- 8 planks per carton
- 21.44 sq. ft. per carton
- 20-year warranty




Designer Series Yorkshire



Style-conscious and budget-friendly

Versatile yet economical



Wild Cherry - 1359



Merbau - 1460



Australian Pepperwood - 2737



Sacramento Pine - 1496



Dakota Oak - 2738



Burlington Maple - 2388



American Walnut - 2763



Shoreline Beech - 2400



Lively Oak - 2701



Sheffield Oak - 2702

in two and three-strip patterns



in single and three-strip patterns



- 7.60" wide x 50.79" long
- 5/16" (8mm) thick
- 8 planks per carton
- 21.44 sq. ft. per carton
- 20-year warranty

- 7.60" wide x 54.33" long
- 9/32" (7mm) thick
- 9 planks per carton
- 25.8 sq. ft. per carton
- 15-year warranty



kronotex usa
PROUDLY MADE IN THE USA

Floors for Living

Moldings and Accessories



WALL BASE

L 94"

Also called baseboard, it is used to take the transition from floor to wall in almost every installation.



QUARTER ROUND MOLDING

L 94"

Used to accent the transition and cover the gap between the floor and the baseboard. Especially useful for retrofitted floors where the baseboard is typically not removed. Also available in a high quality white foil that can be installed as-is or painted to any color without priming.



END MOLDING WITH TRACK AND SCREWS

L 94"

Used to take a transition between floors of unequal heights. Examples: either wood or laminate to high pile carpet or thick ceramic tile.



REDUCER WITH TRACK AND SCREWS

L 94"

Used to take a transition from laminate or wood floor to flooring surfaces such as vinyl, thin ceramic tile or low-pile carpeting.



T-MOLDING WITH TRACK AND SCREWS

L 94"

Used to transition two floors of the same height, typically between rooms or in any entryway. Also used as an expansion joint for floors installed in large-sized rooms.



STAIR NOSING

L 94"

Used to provide a finished look to stair risers.

Accessories



KTX 100 and KTX 500

- 100 and 500 ft rolls
- Made in the USA
- Has lip and tape for easy installation
- Reduces noise levels and eliminates minor subfloor irregularities
- Can be used over concrete (with additional vapor barrier; please refer to installation instructions) and wood subfloors as well as radiant heated floors.
- Mold and mildew resistant
- Insulates cold subfloors
- Made from recycled materials

Flooring Care and Maintenance



FADE RESISTANT

Let the sun shine in. KRONOTEX Flooring is non-fading and will retain its brilliance over many years.



STAIN RESISTANT

Because KRONOTEX Flooring's special clear coat finish keeps ugly stains from penetrating, "Oops" means never having to say, "Honey, I just destroyed our floor."



WEAR RESISTANT

KRONOTEX Flooring stands up to feet stomping, paws scratching and other things known to destroy hardwood in a heartbeat.



WORK RESISTANT

It doesn't take much work to keep KRONOTEX Flooring clean. Sweep with a broom, or use a vacuum. Footprints and dirt come off with a damp cloth. For stubborn spots, use a KRONOTEX Flooring laminate floor cleaner.

CLEANING AND CARE:

Congratulations on choosing your new floor. KRONOTEX Flooring is virtually maintenance free. Because we impregnate our surface with melamine, it is resistant to dirt and dust. Normal vacuuming and sweeping will usually keep your floor clean. If stubborn spots still remain, use a laminate floor cleaner.

RECOMMENDED TIPS:

- Never leave any amounts of liquids (water, juices, soft drinks, alcohol, etc.) on the floor for more than the time necessary to clean the spill. Immediately wipe up wet areas from spills, foreign substances or wet shoes.
- Do not use any cleaning agents containing wax, oil or polish. Leftover residue from these agents can leave a dull film on the floor.
- Do not use steel wool or scouring powder, as this could scratch the floor.
- Use either a natural or color-fast doormat outside and inside each entrance to your home to prevent dirt, sand, grit and other substances from being tracked onto the floor.
- Use wide-bearing, non-staining floor protectors, such as hard plastic or felt pad protectors under chair and table legs.
- Never use a floor steam cleaner, as this will harm your floor and void your warranty.

CLEANING STAINS AND OTHER PROBLEMS:

Juice, Wine, Grease, Chocolate

Dampen a rag with water and a laminate floor cleaner and spot clean.

Cigarette Burns, Asphalt, Shoe Polish, Paint, Ink, Crayon, Dried Foods, Nail Polish

Dampen a rag with rubbing alcohol, or nail polish remover and spot clean.

Candle Wax, Chewing Gum

Allow to harden and gently scrape with a plastic scraper.



www.kronotexusa.com

© Kronotex U.S.A., LLC. All rights reserved

Phone: 866-334-9923

email: info@kronotexusa.com